

Lumina™ RF Wireless Room Control System

Simple energy saving
wireless retrofits for
conference rooms

The Lumina™ RF Wireless Room Control System delivers a scalable solution for code-compliant wireless lighting controls for conference rooms.

Lumina RF Wireless Room Controls deliver wireless control for any on/off, 0-10V and phase cut dimming application. This scalable wireless solution provides the flexibility to easily build a system to meet the unique lighting needs of any space.

Start with a Room Controller for simple switching, dimming and scene control. Then add additional components for multi-location control, occupancy/vacancy sensing, daylight harvesting and more. For additional convenience, the system is configured using the Lumina RF Wireless App—the only setup tool needed.



CHALLENGE

Facility Manager wants to retrofit fluorescent lighting with an LED solution and increase control capabilities.

- Need for cost-effective LED retrofit with compatible controls
- Space requires dimming and scene control
- Must comply with IECC, ASHRAE 90.1 and 2022 Title 24, Part 6 requirements


SOLUTION

Lumina RF Wireless Room Controls create a simple energy and labor saving lighting retrofit solution.





- Room Controllers and Load Control Devices add wireless dimming and scene control capabilities
- Lumina RF Wireless App provides easy configuration and commissioning
- Can be used to comply with IECC, ASHRAE 90.1 and 2022 Title 24, Part 6 space/area control, dimming, occupancy/vacancy sensing, automatic shutoff, multi-zone daylight harvesting and receptacle control requirements



LUMINA RF WIRELESS 0-10V DIMMING AND SCENE CONTROL WITH OPTIONAL OCCUPANCY/VACANCY SENSING, MULTI-ZONE DAYLIGHT HARVESTING AND RECEPTACLE CONTROL




WHAT YOU WILL NEED

| LUMINA RF WIRELESS 0-10V DIMMING AND SCENE CONTROL | | QTY |
|---|---|-----|
|  | Lumina RF Keypad Room Controller DLDNK-08W Coordinates all the energy management functions in a space and provides dimming and scene control | 2 |
|  | Wireless 10A, 0-10V Dimming Power Pack LU107-DNW Provides wireless control of any 0-10V lamp or fixture | 3 |
|  | ADD OPTIONAL OCCUPANCY/VACANCY SENSING AND DAYLIGHT HARVESTING Wireless PIR Occupancy Sensor & Photocell ZC015-BIW Provides occupancy/vacancy sensing and light level detection | 1 |
|  | ADD OPTIONAL RECEPTACLE CONTROL Wireless Controlled Receptacle ZSTLR-1HW** Install in place of traditional receptacles for plug load control | 3 |





* Not required if using approved Intellect-enabled lamps and fixtures. Contact factory for more information.

** LU20S-DNW can be used for an entire 20A receptacle control circuit as an alternative to ZSTLR-1HW at every other receptacle.

LUMINA RF WIRELESS SWITCHING AND SCENE CONTROL WITH OPTIONAL OCCUPANCY/VACANCY SENSING AND RECEPTACLE CONTROL




WHAT YOU WILL NEED

| LUMINA RF WIRELESS SWITCHING AND SCENE CONTROL | | QTY |
|---|---|-----|
|  | Lumina RF Keypad Room Controller DLDNK-08W Coordinates all the energy management functions in a space and provides dimming and scene control | 2 |
|  | Wireless 20A ON/OFF Switching Power Pack LU20S-DNW* Provides wireless ON/OFF control for plug and motor loads | 3 |
|  | ADD OPTIONAL OCCUPANCY/VACANCY SENSING Wireless PIR Occupancy Sensor & Photocell ZC015-BIW Provides occupancy/vacancy sensing and light level detection | 1 |
|  | ADD OPTIONAL RECEPTACLE CONTROL Wireless Controlled Receptacle ZSTLR-1HW** Install in place of traditional receptacles for plug load control | 3 |





* Not required if using approved Intellect-enabled lamps and fixtures. Contact factory for more information.

** LU20S-DNW can be used for an entire 20A receptacle control circuit as an alternative to ZSTLR-1HW at every other receptacle.

LUMINA RF WIRELESS PHASE CUT DIMMING AND SCENE CONTROL WITH OPTIONAL OCCUPANCY/ VACANCY SENSING, MULTI-ZONE DAYLIGHT HARVESTING AND RECEPTACLE CONTROL



WHAT YOU WILL NEED

| LUMINA RF WIRELESS PHASE CUT DIMMING AND SCENE CONTROL | | QTY |
|---|---|-----|
|  | Lumina RF Keypad Room Controller DLDNK-08W Coordinates all the energy management functions in a space and provides dimming and scene control | 2 |
|  | Wireless 800W Phase Cut Dimming Power Pack LU04P-1NW* Provides wireless control of any phase cut dimming lamp or fixture | 3 |
|  | ADD OPTIONAL OCCUPANCY/VACANCY SENSING AND DAYLIGHT HARVESTING Wireless PIR Occupancy Sensor & Photocell ZC015-BIW Provides occupancy/vacancy sensing and light level detection | 2 |
|  | ADD OPTIONAL RECEPTACLE CONTROL Controlled Receptacle ZSTLR-1HW** Install in place of traditional receptacles for plug load control | 3 |

* Not required if using approved intellect-enabled lamps and fixtures. Contact factory for more information.

** LU20S-DNW can be used for an entire 20A receptacle control circuit as an alternative to ZSTLR-1HW at every other receptacle.

Leviton Manufacturing Co., Inc. Lighting & Controls

10385 SW Avery Street, Tualatin, OR 97062 tel 503-404-5500 tech line (8:30AM-7:30PM ET Mon-Fri) 800-824-3005

Visit our website at: www.leviton.com/luminarf

© 2021 Leviton Manufacturing Co. Inc. All rights reserved. Subject to change without notice.

LES-G-10409B/C23-aa
REV MAR 2023

