

APPLICATION

SMARTPATCH Intelligent Patch Panels enable the monitoring and recording of patching status for copper and optical fiber networks. Intelligent panels communicate with and receive power from the SMARTPATCH network scanner, which in turn communicates with the SMARTPATCH software over the network.

SMARTPATCH Network Scanners are available in 1RU high models (suitable for mounting in a 19" rack) and 0RU models, which have more flexible mounting options. A power supply is included with all scanners. The 1RU model includes a 2x40 character LCD screen.

FEATURES

- Available in 1RU model for 19" rack mounting and 0RU model for more flexible mounting
- 1RU model includes a 2x40 character LCD screen
- Included power supply supports global input power (100-240V AC @ 50-60Hz) with a C14 power input
- Included 2m power cable has C13 and CEE 7/4 (Schuko) plugs for EU compatibility
- CE marked



ORDER INFO

Part Number	Item Description	Color	Weight per Item (Nominal)	Qty per Pack
IPSRTU1U2	SMARTPATCH Network Scanner Panel 1RU	Black	2.7Kg	1
IPSRTU0U2	SMARTPATCH Network Scanner 0RU	Black	0.2Kg	1

POWER SUPPLY SPECIFICATIONS

Input	100-240V AC, 50~60 Hz, max. 1.5A, IEC 60320/C14
Output	15V DC, 4.6A, 70W, 120 mm (4.7 inch) cable
Hold Up Time	8ms @ 115V AC

Safety	EN 60950, UL 60950 continuous short circuit protection
Mains Cable	2m IEC 60320-C13, 180mm (7inches), CEE 7/4 (Schuko) for EU


ENVIRONMENTAL CONDITIONS

Operating Temperature*	0 °C to +55 °C (+32 °F to +131 °F)
Storage Temperature*	+20 °C to +85 °C (-4 °F to +185 °F)
Max Online Thermal Dissipation	70 BTU/h

Operating Elevation	0 to 3000 meters (0 to 10,000 ft)
Storage Elevation	0 to 15,000 meters (0 to 50,000 ft)

*Temperature at 95% relative humidity, non-condensing

DIMENSIONS (mm)



SUPPLIED ACCESSORIES

ACCESSORY	Quantity
External Power Supply	1
Inline Bus Cable Connector (IPSCON6WV90)	3
Bus Cable End Terminators (IPSCON6W180)	2

*“Leviton is **dedicated to designing, developing and manufacturing** sustainable **high-performance** structured cabling and specialty **cabling solutions.**”*

The information contained in this document is valid and correct at the time of issue. Leviton reserves the right to modify details without notice in light of subsequent standard/specification changes and ongoing technical developments.