



Smart Merchandising Options

For Electrical Distributors

Table of Contents

- The Counter 3**
 - Product Displays 4
 - Product Merchandisers 7
 - Counter Signage 8
 - Counter Mats 9

- From The Ceiling 10**
 - Ceiling Merchandising 11

- Common Areas 13**
 - Free Standing Displays, Cutouts,
Wall Posters and Banners 14
 - Wall Talkers 16

The Counter

The counter is one of the most valuable areas in a distributor's location. Maximize your sales at the "Point Of Sale", load your counter space with merchandising that matters. Keep impulse items and the latest hot products right at your customers fingertips when they're already prepared to buy.



Product Displays

Standalone 3 Product Countertop Display	4
COPS 2.0 Live and COPS 2.0 Live Pre-Wired	5
COPS 2.0 Non-Powered	6
Product Easels	6

Product Merchandisers

Corrugated Merchandisers	7
--------------------------------	---

Counter Signage

Counter Mat Inserts	8
Counter Mats and Counter Kits	9

The Counter **PRODUCT DISPLAYS**

Standalone 3-Product Countertop Display

Put actual product at your customers fingertips, right at the counter.

This flexible, customizable counter display does just that for your choice of the latest box-mounted Leviton products. Can be used as a standalone display or with the optional base for merchandising.






Display kits include:

- Decora Smart® Wi-Fi®**
 - Smart Voice Dimmer
 - Smart Anywhere Companion
 - Smart 4 Button Controller




- Residential Lighting Controls**
 - Illumatech Dimmer®
 - Decora® Slide Dimmer
 - SureSlide® Dimmer




- USB Charger/Receptacles**
 - USB Type A/A
 - USB Type A/C
 - USB Type C w/Power Delivery

- Commercial Sensors**
 - Wallswitch PIR Sensor
 - Smart Wallbox Sensor
 - Smart Wallbox Dimming Sensor

<p>Decora Smart® Wi-Fi® Dimmer</p>  <p>Use voice command to dim and brighten connected lighting; use the My Leviton app to control lighting or adjust schedules.</p>	<p>Decora Smart® Anywhere Dimmer Companion</p>  <p>Ideal for 3-way or multi-location applications. Pairs wirelessly with Decora Smart® Wi-Fi® 2nd Gen Dimmers.</p>	<p>Decora Smart® Motion Sensing Dimmer</p>  <p>Provides the benefits of a smart dimmer plus hands-free control with built-in motion detection.</p>
--	--	--

<p>IllumaTech® Dimmer</p>  <p>Offers low-profile slide bar for fine adjustment of lighting and easy touch ON/OFF preset switch.</p>	<p>Decora® Slide Dimmer</p>  <p>Features a Decora® rocker switch with a full range slender side bar for smooth full-range dimming.</p>	<p>SureSlide® Dimmer</p>  <p>Smooth, slide action, full-range dimming and preset ON/OFF switch.</p>
---	--	---

<p>USB Type A/A In-Wall Outlet Charger</p>  <p>Two high-powered charging ports with 3.6A of charging power.</p>	<p>USB Type A/Type C In-Wall Outlet Charger</p>  <p>Two high-powered charging ports deliver a combined total of 5.1A charging current and 25+ watts of power.</p>	<p>USB Dual Type C/C Power Delivery In-Wall Outlet Charger</p>  <p>The most powerful USB charger on the market with 60W of power on a single port.</p>
---	---	--

<p>Smart Wallbox Sensor App Configurable, 24V Dimming Occupancy/Vacancy, PIR</p>  <p>Adjustable light levels, Auto-ON/ Auto-OFF or Manual-ON/ Auto-OFF. Simple push button programming or configure via mobile device and the Leviton Smart Sensor App. Ideal for commercial spaces up to 1,100 SF.</p>	<p>Smart Wallbox Sensor App Configurable Occupancy/Vacancy, PIR</p>  <p>Auto-ON/ Auto-OFF or Manual-ON/ Auto-OFF. Simple push button programming or configure via mobile device and the Leviton Smart Sensor App. Ideal for commercial spaces up to 1,100 SF.</p>	<p>Wallswitch, PIR Occupancy/Vacancy Sensor</p>  <p>Auto-ON/ Auto-OFF (Manual-ON/ Auto-OFF selectable). Vandal resistant. Manual Wall Switch. Field of View 21.00 sq. ft. No-Neutral wire required.</p>
---	---	---


The Counter **PRODUCT DISPLAYS**

Cops 2.0 “Live” Counter Display & Pod Inserts

COPs 2.0 LIVE Counter Display: Add one lamp, one box mounted product and wallplate, and one promotional insert to customize display.



Promotional Inserts



Decora Smart™ Wire-Free Anywhere Dimmer and Switch Companions



Decora Smart™ Gen 2 with Wi-Fi®



Decora Smart™ Gen 2 with Wi-Fi®



My Leviton Pro Support and Rewards Program



Decora Smart™ Gen 2 with Wi-Fi®




Decora Smart™ Voice Dimmer with Amazon Alexa Built-In




Generic Leviton Dimmers




Lighting Controls




Decora® Slide Dimmer



Toggle Slide Dimmer



Decora® LED Illuminated Switch




LED Sensor Guide Lights


The Counter PRODUCT DISPLAYS

Cops 2.0 Non-Powered Counter Display & Pod Inserts

These items are perfect for specific product promotions, trade shows.




SmartlockPro® Self-Test GFCI Combination Type A USB In-Wall Charger



Dual Type-C™ with Power Delivery (PD) USB Charger/Tamper Resistant Receptacle



Type A and Type-C™ USB Charger/Tamper Resistant Receptacle



4-Port USB Charger




Dual Function AFCI/GFCI Receptacle



SmartlockPro® Self-Test GFCI Receptacles



Self-Test GFCI Receptacles



Tamper-Resistant Outlets



Product Easels

5-Gang Easel Display.
Holds up to 5 box-mounted devices.
Not wired

Humidity Sensor Counter Display



The Counter **PRODUCT MERCHANDISERS**

Corrugated Merchandisers



Decora Smart™ Counter Display
Includes one header and display - holds up to 12 boxes.



Counter Display
Dimensions: 15" W x 12.5" H x 10" D
Corrugated. Holds 9 clamshell SKUs:
3 pcs of Occupancy Sensors
(PR150, PR180)
6 pcs of Dimmers
(6631, IPI06) (6633, RPI06)



Counter Display for
Product Merchandising.
Decora® Rocker Slide



Corrugated Counter Display &
Header For LED Guide Lights.
Holds 36 Guide Lights.
Any combination 6527, 6526, 6525

Self-Test GFCI Product Merchandiser with 2 headers



The Counter COUNTER SIGNAGE



Counter Mat Inserts

Window Counter Mat without insert




USB Charger Devices
Features Cat. nos. T5635, T5633, T5632, and USB4P



Dual Type-C™ with Power Delivery (PD) USB Charger/Tamper Resistant Receptacle



Type A and Type-C™ USB Charger/Tamper Resistant Receptacle



USB Charger/Tamper Resistant Duplex Receptacle



Residential Antimicrobial Switches and Wallplates



Pop-Up Floor Receptacle



Decora Smart® Smart Home



Decora Smart® No-Neutral Solution



Decora Smart® 2nd Gen



My Leviton Pro



Decora Smart® Wi-Fi Motion Sensing Dimmer



LED Compatibility Tool Guide




Leviton Dimmers



Leviton Dimmers



Decora Digital™ with Bluetooth® Technology




Decora Digital™ App Quick Guide

The Counter COUNTER SIGNAGE

Counter Mats




Single Source for Sensors



Decora® Motion Sensors



Lumina™ RF Standalone Room Controller System



Provolt® Room Controllers



Stainless Steel Wallplates



Antimicrobial Treated Devices



49 Series Devices — rhino-hide®




lev-lok®



Wetguard®



verifEye® Smart Submetering Solutions




verifEye® Smart Submetering Solutions



NEMA Wiring Devices - rhino-hide®

Counter Kits

Self-Test GFCI Counter Kit. Includes one counter mat (16"W x 21"H) and one easel sign (9"W x 12"H)



From The Ceiling



Ceiling Merchandising

Ceiling Dangles 11

Ceiling Danglers



Decora Smart® 3-sided Ceiling Dangler for Distributors. Features Decora Smart® with Wi-Fi, Z-Wave and HomeKit. Rigid Styrene panels measure 18"x36" each side. Hanging hardware included.



Leviton Load Center 3-sided Ceiling Dangler Rigid Styrene panels measure 18"x36" each side. Hanging hardware included.



AFCI/GFCI 3-sided Ceiling Dangler for Distributors. Features AFCI, GFCI and Dual Function AFCI/GFCI. Rigid Styrene panels measure 18"x36" each side. Hanging hardware included. Features Decora Smart® with Wi-Fi, Z-Wave and HomeKit. Rigid Styrene panels measure 18"x36" each side. Hanging hardware included.



Residential 3-sided Ceiling Dangler for Distributors. Features Universal Dimmer, Slim GFCI, Timers. Rigid Styrene panels measure 18"x36" each side. Hanging hardware included.




Safety 3-sided Ceiling Dangler for Distributors. Features Electrical Safety Products, Weather Resistant Covers and Slim GFCI Guide Light. Rigid Styrene panels measure 18"x36" each side. Hanging hardware included.


Ceiling Danglers



VerifEye® 3-sided Ceiling Dangler for Distributors. Rigid Styrene panels measure 18"x36" each side. Hanging hardware included.



C&I 3-sided Ceiling Dangler for Distributors. Features Evr-Green, Watertight, Lev-Lok. Rigid Styrene panels measure 18"x36" each side. Hanging hardware included.




LES 3-sided Ceiling Dangler for Distributors. Features Metering, LevNet RF, Zipline. Rigid Styrene panels measure 18"x36" each side. Hanging hardware included.

Common Areas


LEVITON

Provolt™ Does It All!
All-In-One Dimming and Sensing Solution.

- ✓ 0-10V Dimming
- ✓ Occupancy/Vacancy Sensing
- ✓ Daylight Harvesting
- ✓ Partial-ON
- ✓ Partial-OFF
- ✓ Manual Control
- ✓ Demand Response
- ✓ Meets requirements for Title 24, ASHRAE 90.1 and IECC



Fast and Easy Setup with the Provolt App




- Simply setup with no buttons required
- Eliminate adjusting confusing dip switch settings
- Create templates to quickly program multiple rooms

Learn more at: www.leviton.com/PRC

LEVITON

The Leviton Load Center
THE FUTURE MADE CURRENT



FASTEST INSTALLATION

- No wiring to change existing installations
- No need to change panel size

OPTIONAL SMART CIRCUIT BREAKERS

- Energy monitoring
- Demand response
- Remote control

SAFER

- No exposed live parts and no live tools
- No need to open the panel to work on the load center
- No need to disconnect the load center from the power source

INTUITIVE AND APPROACHABLE

- No need for complex wiring or complex programming
- No need for complex programming or complex programming
- No need for complex programming or complex programming

LEVITON

EV CHARGING

A complete offering of home, commercial & public charging stations

Power, protection, safety & energy management



EV CHARGING YOU CAN TRUST

leviton.com/evgreen

Out On The Floor, Wall Merchandising

Free-standing Displays	14
Wall Posters and Banners	14
Wall Talkers	16

On The Floor FREE-STANDING MERCHANDISING

Free Standing Displays , Cutouts, Wall Posters and Banners



4-Sided Free-Standing EVSE Display
Display the latest EVSE products and infrastructure.
Available in Counter size and Floor standing size.

Life-Size EV Charger Cut Outs
Free-standing, realistic looking,
life-sized Electric Vehicle
charger displays



SmartlockPro® Slim GFCI Banner
36" wide x 18" high



renu® Banner
Dimensions: 36"W X 24"H
Four corner grommets




AFCI Receptacle Banner
Dimensions: 36"W X 24"H
Four corner grommets

Wall Posters and Banners




“Made in USA” Banner
Dimensions: 36”W X 24”H
Four corner grommets




Load Center Banner
Dimensions: 36”W x 18”H



Verifeye® poster
Dimensions: 24”W X 36”H



Wetguard® poster (cows)
Dimensions: 22”W X 28”H



Wetguard® poster (apples)
Dimensions: 22”W X 28”H



Leviton Logo Banner
Dimensions: 4’ W x 2’ H



Leviton Logo Banner
Dimensions: 6’ W x 2’ H



Leviton Logo Outdoor Banner
Dimensions: 36” W x 60” H
Four corner grommets

On The Walls WALL TALKERS


Wall Talkers




Decora Smart® HomeKit™ Poster
24"x36"



Decora Smart® with Wi-Fi
Technology Poster
24"W x36"H



Provolt® Poster
24"W x36"H



USB Family Banner
Dimensions: 36"W X 18"H
Four corner grommets



Safety Family Banner
Dimensions: 36"W X 18"H
Four corner grommets



Decora Smart® Wall Talkers -Set includes 4 wall talkers:
Decora Smart® with Wi-Fi, Decora Smart with Apple
HomeKit, Decora Smart® with Z-Wave and Decora® Digital
Dimmer with Bluetooth Technology



Going Green Wall Talkers- Set includes 5 wall talkers:
Decora Digital™ Dimmer with Bluetooth Technology,
Decora Rocker Slide Dimmer, Universal Occupancy
Dimming Sensor, Renu Dimmer and Universal Vacancy
Dimming Sensor/GFCI